# High Solid Spray (HSS) System

High solid spray system for coating applications



The fully assembled HSS High Solid Spray System includes dispense gun, cartridge, mixer with spray nozzle, and a regulator kit.



The HSS Spray System is the perfect size for field applications.



The HSS Spray System easily sprays low-viscosity paints.

The HSS Spray System is an innovative dispensing system using EFD Side x Side cartridges for meter mix and spraying of two-component materials.

The system can be used for a variety of industrial spraying and dispensing solutions, including high solid coatings and adhesives. It's ideal for truck bedliners, pipe coating, manhole restoration, marine repair, roofing projects, and other maintenance and touch-up applications.

The complete HSS system includes a lightweight dispense gun equipped with handles and straps for extra portability and ease of use. A regulator on the gun's atomizing air line provides easy adjustment to accurately control air flow. Static mixer spray nozzles are available in a range of outlets and spray patterns.

# **Features**

- Patented spray manifold/static mixer assembly
- Control of air flow, volume, and pressure
- Many mixer options available
- Reliable, lightweight, and portable design

## **Benefits**

- Easy to adjust spray pattern for all jobs
- · Complete material mixing and atomization
- Easy to switch out cartridges
- Flexibility to dispense different pigments
- Quick clean-up





HSS SPRAY	CLINE D		
HOO OF NAT	uuns - F	NEUMATIC	

Sold individually. Order the gun, retaining nut, mixer with spray nozzle, cartridges, and regulator kit for the complete system.

				MULTI-R	ATIO LOW	PRESSU	RE GUN -	2.5" CYLI	NDER				
Part #	Cartridge Size	1:1	1.25:1	1.2:1	1.3:1	1.5:1	1.6:1	2:1	2.5:1	2.7:1	3.1	3.3:1	4:1
	150 x 150	1	-	-	-	-	-	-	-	-	-	-	-
	200 x 200	$\checkmark$	-	-	-	-	-	-	-	-	-	-	-
	250 x 250	$\checkmark$	-	-	-	-	-	-	-	-	-	-	-
	300 x 300	1	-	-	-	-	-	-	-	-	-	-	-
	250 x 200	-	1	-	-	-	-	-	-	-	-	-	-
	300 x 250	-	-	1	-	-	-	-	-	-	-	-	-
	200 x 150	-	-	-	1	-	-	-	-	-	-	-	-
	150 x 100	-	-	-	-	1	-	-	-	-	-	-	-
7001005	300 x 200	-	-	-	-	1	-	-	-	-	-	-	-
7661025	250 x 150	-	-	-	-	-	1	-	-	-	-	-	-
	150 x 75	-	-	-	-	-	-	1	-	-	-	-	-
	200 x 100	-	-	-	-	-	-	1	-	-	-	-	-
	300 x 150	_	-	-	-	-	-	1	-	-	-	-	_
	250 x 100	-	-	-	-	-	-	-	1	-	-	-	-
	200 x 75	-	-	-	-	-	-	-	-	1	-	-	-
	300 x 100	_	-	-	-	-	-	_	-	-	1	-	-
	250 x 75	_	-	-	-	-	-	_	-	-	-	1	-
	300 x 75	-	-	-	-	-	-	-	-	-	-	-	1

HIGH PRESSURE GUN - 4.0" CYLINDER

Part #	Cartridge Size	1:1	2:1
7661027	750 x 750	$\checkmark$	-
7661224	600 x 300	-	√

Pneumatic guns require the HSS Air Regulator Conversion Kit.

## HSS AIR REGULATOR CONVERSION KITS

All pneumatic guns require a regulator kit for spraying.

Part #	Description
7660025	Air Regulator Kit - 2 feet long
7660026	Air Regulator Kit - 3 feet long





				MULTI-R	ATIO HIGH	I PRESSU	RE GUN -	4.0" CYLII	NDER				
Part #	Cartridge Size	1:1	1.25:1	1.2:1	1.3:1	1.5:1	1.6:1	2:1	2.5:1	2.7:1	3.1	3.3:1	4:1
	150 x 150	1	-	-	-	-	-	-	-	-	-	-	-
	200 x 200	$\checkmark$	-	-	-	-	-	-	-	-	-	-	-
	250 x 250	1	-	-	-	-	-	-	-	-	-	-	-
	300 x 300	1	-	-	-	-	-	-	-	-	-	-	-
	250 x 200	_	1	-	-	-	-	-	-	-	-	-	-
	300 x 250	-	-	1	-	-	-	-	-	-	-	-	-
	200 x 150	-	-	-	1	—	-	-	-	-	-	-	-
	150 x 100	-	-	-	-	1	-	-	-	-	-	-	-
7661026*	300 x 200	-	-	-	-	1	-	-	-	-	-	-	-
7001020	250 x 150	-	-	-	-	-	1	-	-	-	-	-	-
	150 x 75	-	-	-	-	-	-	1	-	-	-	-	-
	200 x 100	-	-	-	-	—	-	1	-	-	-	-	-
	300 x 150	-	-	-	-	-	-	1	-	-	-	-	-
	250 x 100	-	-	-	-	-	-	-	1	-	-	-	-
	200 x 75	_	-	-	-	-	-	-	-	1	-	-	-
	300 x 100	-	-	-	-	-	-	-	-	-	1	-	_
	250 x 75	-	-	-	-	-	-	-	-	-	-	1	-
	300 x 75	-	-	-	-	-	-	-	-	-	-	-	1

## HSS SPRAY GUNS - PNEUMATIC TOP LOAD

Sold individually. Order the gun, retaining nut, mixer with spray nozzle, cartridges, and regulator kit for the complete system.

\*Gun P/N 7661026 features a narrow cradle.

### HSS SPRAY NOZZLES WITH MIXERS

Nozzles have standard orifice of 0.085" (2.16 mm) except those noted as large orifice which is 0.130" (3.3 mm).

			STRAIGHT			
1.	Part #	Description	Orifice Size	# of Elements	Element Diameter ID (in / mm)	Retaining Nut
	7660861	Straight Conical	0.085"	24	0.25 / 6.35	7/8 - 14
A CONTRACTOR	7660855	Straight Conical	0.13"	24	0.37 / 9.52	7/8 - 14
			RIGHT ANGLE	E		
1.	Part #	Description	Orifice Size	# of Elements	Element Diameter ID (in / mm)	Retaining Nut
	7660833	Right Angle	0.085"	24	0.37 / 9.52	7/8 - 9
2 Carlos						
			HIGH FLOW			
	Part #	Description	Orifice Size	# of Elements	Element Diameter ID (in / mm)	Retaining Nut
	7661202	High flow, 5/8"	0.455"	24	0.5 / 12.7	7/8 - 9



HSS SPRAY SYSTEM REPLACEMENT PARTS REPLACEMENT PLUNGERS								
Description	2.5" Gun	4.0" Gun						
75 mL replacement plunger	$\checkmark$	1						
100 mL replacement plunger	$\checkmark$	1						
150 mL replacement plunger	-	$\checkmark$						
150 mL replacement plunger	1	1						
250 mL replacement plunger	1	$\checkmark$						
300 mL replacement plunger	1	$\checkmark$						
300 mL replacement plunger	-	$\checkmark$						
600 mL replacement plunger	-	$\checkmark$						
RETA	INING NUTS							
Retaining nuts hold mixer in place on o	cartridge; spare nuts can	be ordered as needed.						
Description								
7/8 - 9 Retaining Nut (polyethylene)								
STABILIZER PLATES								
Stabilizing plates ensure proper cartridge alignment in gun cradle; spare plates can be ordered as needed.								
Description								
Stabilizer Plate for 2.5" Cylinder Spray Gun								
	Description   75 mL replacement plunger   100 mL replacement plunger   150 mL replacement plunger   150 mL replacement plunger   250 mL replacement plunger   200 mL replacement plunger   300 mL replacement plunger   300 mL replacement plunger   600 mL replacement plunger   78 - 9 Retaining Nut (polyethylene)   Stabilizing plates ensure proper cartridge alignm   Description	75 mL replacement plunger Image: Comparison of the second of the sec						

## **HSS Spray System Cartridges**


The HSS Spray System can use EFD Side x Side.

## Side x Side Cartridges



Nordson EFD Side x Side cartridges feature a rugged, one-piece design that resists bulging to ensure on-ratio dispensing. Select from volumes that range from 50mL to 1500mL, with ratios from 1:1 up to 10:1.

## Sample Cartridge Ratios





For Nordson EFD sales and service in over 40 countries, contact Nordson EFD or go to www.nordsonefd.com.

#### Global

800-556-3484; +1-401-431-7000 info@nordsonefd.com

#### Europe

00800 7001 7001 infoefd.europe@nordsonefd.com

#### Asia

China: +86 (21) 3866 9006; china@nordsonefd.com India: +91 80 4021 3600; india@nordsonefd.com Japan: +81 03 5762 2760; japan@nordsonefd.com Korea: +82-31-736-8321; korea@nordsonefd.com SEAsia: +65 6796 9522; sin-mal@nordsonefd.com

©2024 Nordson Corporation v111424